

## List of Posters

- P 01 **Molecular Modelling Studies of Synthesized Pentacyclo-Undecane Peptides as Potential HIV-1 Wild type C-SA Protease Inhibitors**  
B. Honarparvar, Durban/ZA, H. Kruger, Durban/ZA, M. Soliman, Durban/ZA, G. Maguire, Durban/ZA, T. Govender, Durban/ZA
- P 02 **In Silico Characterization of the motor subunit of the e.coli. restriction modification system EcoR1241**  
S. Dhiraj, Nove Hrady/CZ, R. Ettrich, Nove Hrady/CZ, D. Reha, Nove Hrady/CZ, M. Khabiri, Nove Hrady/CZ
- P 03 **TorsionAnalyzer: Exploring conformational space**  
C. Schärfer, Hamburg/DE, T. Schulz-Gasch, Basel/CH, M. Rarey, Hamburg/DE
- P 04 **Study of the Interaction β-Secretase-Flavonones by the Methods of Molecular Modelling: The Future Treatment of Alzheimer Disease**  
I. Abdelli, Tlemcen/DZ, G. Said, Tlemcen/DZ
- P 05 **Modifications to glucose-6-phosphate dehydrogenase for industrial applications: predictions and tests**  
M. Mosisch, Hamburg/DE, J. Simons, Hamburg-Harburg/DE, L. Hilterhaus, Hamburg-Harburg/DE, A. Torda, Hamburg/DE
- P 06 **Molecular simulations of peptides and proteins with Molecular Fragment Dynamics (MFD)**  
A. Truszkowski, Recklinghausen/DE, A. Zielesny, Recklinghausen/DE
- P 07 **Automatic Docking of a Small Number of Ligands Into a Large Number of Binding Sites**  
A. Kos, Steinen/DE
- P 08 **PREDator - a New Structure-Based Approach for Cross-Reactivity Predictions**  
F. Koelling, Brunswick/DE
- P 09 **Towards a complete structure of the hERG channel**  
P. Schmidtke, Croissy-sur-Seine/FR, M. Ciantar, Croissy-sur-Seine/FR, I. Theret, Croissy-sur-Seine/FR, P. Ducrot, Croissy-sur-Seine/FR
- P 10 **The importance of template choice in homology modelling. A 5-HT6R study. The importance of template choice in homology modeling. A 5-HT6R case study.**  
K. Rataj, Kraków/PL, J. Witek, Kraków/PL, S. Mordalski, Kraków/PL, T. Kościółek, Kraków/PL, A. Bojarski, Kraków/PL
- P 11 **Stability of Single and Double Layer Fibrillar Amyloid-β Oligomers**  
A. H. C. Horn, Erlangen/DE, A. Kahler, Erlangen/DE, H. Sticht, Erlangen/DE
- P 12 **Is the Novel Amyloid-β Tetramer Fold a Stable Conformation?**  
A. H. C. Horn, Erlangen/DE, E. Socher, Erlangen/DE, H. Sticht, Erlangen/DE
- P 13 **ParaDockS – An Open-Source Framework for Molecular Docking: Implementation of Target-class-specific Scoring Methods**  
M. Scharfe, Halle/DE, M. Pippel, Halle/DE, W. Sippl, Halle/DE
- P 14 **Nemesis - A Molecular Modeling Package**  
J. Štepán, Brno/CZ, P. Kulhánek, Brno/CZ, M. Lenco, Brno/CZ, Z. Strelcová, Brno/CZ, A. Krenek, Brno/CZ, J. Koca, Brno/CZ
- P 15 **Simulation of Transport Processes and Chemical Reactions in Building Materials**  
C. Jehn, Hamburg/DE, F. Schmidt-Döhl, Hamburg/DE
- P 16 **Force-field-based minimizations of protein-ligand complexes in the blink of an eye**

L. Heinzerling, Hamburg/DE, M. Rarey, Hamburg/DE

- P 17 **Annotating Targets With Pathways: Extending Approaches to Mode of Action Analysis**  
S. Liggi, Cambridge/GB, A. Koutsoukas, Cambridge/GB, Y. Kalantar Motamed, Cambridge/GB, R. Glen, Cambridge/GB, A. Bender, Cambridge/GB
- P 18 **Efficient Mining of Protein Kinase Structural Data**  
S. Maginn, Cambridge/GB, A. Henry, Cambridge/GB, P. Labute, Montreal/CA, J. Maier, Montreal/CA, N. Thorsteinson, Montreal/CA
- P 19 **Combination of fingerprints and MCS-based (inSARa) networks for Structure-Activity-Relationship analysis**  
S. Wollenhaupt, Braunschweig/DE, K. Baumann, Braunschweig/DE
- P 20 **In silico Target Prediction: Identification of On- and Off- Targets for Crop Protection Agents**  
R. Chiddarwar, Cambridge/GB, A. Bender, Cambridge/GB, S. Rohrer, Ludwigshafen/DE
- P 21 **A Next-generation Chemistry Database Cartridge**  
W.-D. Ihlenfeldt, Königstein/DE
- P 22 **Taking the PubChem Web Sketcher to the Next Level**  
W.-D. Ihlenfeldt, Königstein/DE
- P 23 **MycPermCheck: The Mycobacterium tuberculosis permeabilityprediction tool for small molecules**  
B. Merget, Würzburg/DE, D. Zilian, Würzburg/DE, T. Müller, Würzburg/DE, C. Sottriffer, Würzburg/DE
- P 24 **Analysis of Naphthoquinone Derivatives as Topoisomerase I Inhibitors using Fragment Based QSAR**  
V. A. Bastikar, Thane/IN, A. Gupte Bastikar, Thane/IN
- P 25 **Chemogenomic approach to increase accuracy of QSAR modeling of inhibition activity against five major P450 isoforms**  
S. Novotarskyi, Munich/DE, I. Sushko, Munich/DE, R. Koerner, Munich/DE, I. Tetko, Munich/DE
- P 26 **Revised Classification of Kinases Based on Bioactivity Data: The Importance of Data Density and Choice of Visualization**  
S. Paricharak, Cambridge/GB, T. Klenka, Dundee/GB, M. Augustin, Dundee/GB, U. Patel, St. Charles/US, A. Bender, Cambridge/GB
- P 27 **The influence of hashed fingerprints density on machine learning methods performance**  
S. Smusz, Kraków/PL, R. Kurczab, Kraków/PL, A. Bojarski, Kraków/PL
- P 28 **Relating GPCRs pharmacological space based on ligands chemical similarities**  
A. Koutsoukas, Cambridge/GB, R. Torella, Cambridge/GB, G. Drakakis, Cambridge/GB, A. Bender, Cambridge/GB, R. Glen, Cambridge/GB
- P 29 **Combining SFCscore with Random Forests leads to improvedaffinity prediction for protein-ligand complexes**  
D. Zilian, Wuerzburg/DE, C. Sottriffer, Wuerzburg/DE
- P 30 **Application of Structural Interaction Fingerprints into post-docking analysis - insight into activity and selectivity.**  
J. Witek, Kraków/PL, K. Rataj, Kraków/PL, S. Smusz, Kraków/PL, S. Mordalski, Kraków/PL, T. Kosciólek, Kraków/PL, A. Bojarski, Kraków/PL
- P 31 **Extended Graph-based Models for Enhanced Similarity Retrieval in Cavbase**  
T. Krotzky, Marburg/DE, T. Fober, Marburg/DE, M. Mernberger, Marburg/DE, G. Klebe,

Marburg/DE, E. Hüllermeier, Marburg/DE

- P 32 **The influence of training actives/inactives ratio on machine learning performance**  
R. Kurczab, Kraków/PL, S. Smusz, Kraków/PL, A. Bojarski, Kraków/PL
- P 33 **Experimental Validation of In Silico Target Predictions on Synergistic Protein Targets**  
I. Cortes Ciriano, Zaragoza/ES, A. Koutsoukas, Cambridge/GB, O. Abian, Zaragoza/ES, A. Bender, Cambridge/GB, A. Velazquez-Campoy, Zaragoza/ES
- P 34 **Pairwise Structural Comparison of Tiagabine Analogs gives New Insights into their Protein Binding Modes**  
B. Zdrazil, Vienna/AT, A. Jurik, Vienna/AT, H. Sitte, Vienna/AT, G. Ecker, Vienna/AT
- P 35 **Reliable Estimation of Externally Validated Prediction Errors for QSAR Models**  
D. Baumann, Brunswick/DE, K. Baumann, Brunswick/DE
- P 36 **Using Machine Learning Techniques for Rationalising Phenotypic Readouts from a Rat Sleeping Model**  
G. Drakakis, Cambridge/GB, A. Koutsoukas, Cambridge/GB, S. Brewerton, Surrey/GB, D. Evans, Surrey/GB, A. Bender, Cambridge/GB
- P 37 **PriaXplore® - A Novel Technology Platform for the Identification of Small Molecule Modulators of Protein-Protein Interactions**  
S. Eyrisch, München/DE, T. Girschick, München/DE, G. Ross, München/DE, C. Kalinski, München/DE, V. Khazak, München/DE, L. Weber, München/DE
- P 38 **The FPS fingerprint format and chemfp toolkit**  
A. Dalke, Göteborg/SE
- P 39 **InChI – The worldwide Chemical Structure Standard**  
S. Heller, Gaithersburg/US
- P 40 **PubChem: Atom Environments for Molecule Standardization**  
V. Hähnke, Bethesda, MD/US, E. Bolton, Bethesda/US, S. Bryant, Bethesda/US
- P 41 **Optimising Chemical Information Workflows: Integrating Reaxys – Use cases and Applications**  
S. Radestock, Frankfurt am Main/DE
- P 42 **A 3D-QSAR Model for Cannabinoid Receptor (CB2) Ligands Derived from Aligned Pharmacophores**  
R. Günther, Leipzig/DE, W. Deuther-Conrad, Leipzig/DE, R. Moldovan, Leipzig/DE, S. Fischer, Leipzig/DE, P. Brust, Leipzig/DE
- P 43 **Diels-Alder Reactions of Masked O-Benzoquinones with Thiophenes: A Conceptual DFT investigation**  
A. Ghomri, Tlemcen/DZ, S. Mekelleche, Tlemcen/DZ
- P 44 **Ligand-Based and Structure-Based Design of Novel Histone Demethylase Inhibitors**  
L. Carlino, Halle/Saale/DE, M. Schmit, Freiburg/DE, M. Jung, Freiburg/DE, W. Sippl, Halle/Saale/DE
- P 45 **Enalos KNIME nodes: Exploring environmental durability, ageing resistance and corrosion inhibition**  
A. Tsoumanis, Nicosia/CY, G. Melagraki, Nicosia/CY, A. Afantitis, Nicosia/CY
- P 46 **Expanding natural product chemistry resources at the EBI**  
J. Hastings, Hinxton/GB, P. Conesa, Hinxton/GB, A. Dekker, Hinxton/GB, M. Ennis, Hinxton/GB, K. Haug, Hinxton/GB, K. Jayaseelan, Hinxton/GB, N. Kale, Hinxton/GB, T. Mahendraker, Hinxton/GB, P. Moreno, Hinxton/GB, V. Muthukrishnan, Hinxton/GB, G. Owen, Hinxton/GB, R. Salek, Hinxton

- P 47 **Chemogenomics Approaches To Rationalising Compound Action of Traditional Chinese and Ayurvedic Medicines**  
F. Mohd Fauzi, Cambridge/GB, A. Koutsoukas, Cambridge/GB, R. Lowe, London/GB, K. Joshi, Pune/IN, T. Fan, Cambridge/GB
- P 48 **More than a rigid framework: Molecular design using secondary structure element information**  
O. Koch, Tübingen/DE
- P 49 **Predicting the protein localization sites using artificial neural networks**  
V. Arulmozhi, Coimbatore/IN, R. Rajesh, Coimbatore/IN
- P 50 **Neural network based classification of acute toxicity of phthalate esters to fathead minnow**  
V. Arulmozhi, Coimbatore/IN, R. Rajesh, Coimbatore/IN
- P 51 **Rationalisation and Visualisation of Non-Bonded Interactions**  
S. Maginn, Cambridge/GB, P. Labute, Montreal/CA, A. Ajamian, Montreal/CA, C. Williams, Montreal/CA
- P 52 **Finding Unusual Peptides on the Internet Using Plain Three Letter Sequence Codes.**  
A. Kos, Steinen/DE, H. Himmller, Steinen/DE
- P 53 **Using graph-based consensus clustering for combining multiple K-means clusterings of heterogeneous chemical structures**  
S. Faisal, Johor/MY, N. Salim, Johor/MY, A. Abdo, Alhodaidah/YE, H. Bentabli, Johor/MY
- P 54 **Building QSAR for HTS in vitro assays – A study for the prediction of Aryl hydrocarbon receptor activators $\Delta 128; \Delta 128$**   
A. M. Abdelaziz, Munich/DE, A. Safanyaev, Moscow/RU, V. Palyulin, Moscow/RU, I. Tetko, Munich/DE
- P 55 **Pt(II) and Pt(IV) Complexes with Large Hydrophobic Ligands: A Study of New Potential Cytostatics**  
P. Kacer, Prague/CZ, J. Svoboda, Prague/CZ, T. Louzilova, Prague/CZ
- P 56 **Deterministic Clustering of the Available Chemical Space**  
P. Thiel, Dortmund/DE, L. Peltason, Basel/CH, C. Ottmann, Dortmund/DE, O. Kohlbacher, Tübingen/DE
- P 57 **Prediction of Affinity TargetProfiles with PredictFX**  
A. Steudle, Muenchen/DE, F. Boes, Muenchen/DE, B. Wendt, Muenchen/DE
- P 58 **APL@Voro: revealing lipid domains with planar subdivisions**  
G. Lukat, Bielefeld/DE, J. Krüger, Tübingen/DE, B. Sommer, Bielefeld/DE
- P 59 **A general QSAR model of AhR receptor affinity of xenobiotics**  
A. Y. Safanyaev, Moscow/RU, E. Radchenko, Moscow/RU, V. Palyulin, Moscow/RU, I. Tetko, Munich/DE, N. Zefirov, Moscow/RU
- P 60 **Identification of ligand-binding pockets for dual-action ligands: Application to 5-lipoxygenase and microsomal prostaglandin E2 synthase-1 inhibitors**  
M. Pillong, Zürich/DE, J. Kunze, Zürich/CH, T. Hanke, Frankfurt/DE, F. Dehm, Jena/DE, S. Liening, Jena/DE, S. Popella, Jena/DE, C. Weinigel, Jena/DE, D. Barz, Jena/DE, M. Lämmerhofer, Tübingen/DE, M. Schubert-Zsilavecz, Frankfurt/DE, O. Werz, Jena/DE, G. Schneider, Zürich/CH